




1 FIXED WINDOW SECTION PROFILE @ HEAD
SCALE 6" = 1'-0"




2 FIXED WINDOW SECTION PROFILE @ SILL
SCALE 6" = 1'-0"




3 FIXED WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




4 FIXED WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




FIXED WINDOW
SCALE 0'-3/4"=1'-0"




1 TILT-TURN WINDOW SECTION PROFILE @ HEAD
SCALE 6" = 1'-0"




2 TILT-TURN WINDOW SECTION PROFILE @ SILL
SCALE 6" = 1'-0"




3 TILT-TURN WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




4 TILT-TURN WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




TILT-TURN WINDOW
SCALE 3/4" = 1'-0"




1 TURN-ONLY WINDOW SECTION PROFILE @ HEAD
SCALE 6" = 1'-0"




2 TURN-ONLY WINDOW SECTION PROFILE @ SILL
SCALE 6" = 1'-0"




3 TURN-ONLY WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




4 TURN-ONLY WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




TURN-ONLY WINDOW
SCALE 0'-3/4"=1'-0"




1 HOPPER WINDOW SECTION PROFILE @ HEAD
SCALE 6" = 1'-0"




2 HOPPER WINDOW SECTION PROFILE @ SILL
SCALE 6" = 1'-0"




3 HOPPER WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




4 HOPPER WINDOW SECTION PROFILE @ JAMB
SCALE 6" = 1'-0"




HOPPER WINDOW
SCALE 0'-3/4"=1'-0"




1MULLIONS - COMMON FRAME (3.3) - CONTOUR SECTION PROFILE
FIXED TO FIXED WINDOW
SCALE 6" = 1'-0"




1MULLIONS - COMMON FRAME (4.4) - CONTOUR SECTION PROFILE
FIXED TO FIXED WINDOW
SCALE 6" = 1'-0"




FIXED TO FIXED WINDOW
SCALE 0'-3/4"=1'-0"




FIXED TO OPERABLE WINDOW
SCALE 0'-3/4"=1'-0"




1COMMON MULL (3.3) – CONTOUR SECTION PROFILE
FIXED TO OPERABLE WINDOW
SCALE 6" = 1'-0"



1COMMON MULL (4.4) – CONTOUR SECTION PROFILE
FIXED TO OPERABLE WINDOW
SCALE 6" = 1'-0"



1COMMON MULLION — CONTOUR SECTION PROFILE
1 OPERABLE TO OPERABLE WINDOW SCALE 6" = 1'-0"



OPERABLE TO OPERABLE WINDOW

DRAWING_NAME

TYROL CONTOUR

COMBINATION MULLION OPERABLE
TO OPERABLE

REVISIONS:

NOTES:


- ALL ELEVATIONS REPRESENT OUTSIDE VIEW
- SECTION DETAILS SHOWING TRIPLE GLAZING OPTION. DOUBLE GLAZING ALSO AVAILABLE. REFER TO GLAZING SECTION

DATE:


XX-XX-2025

PAGE NO.


07 OF 20




1 COMBINATION MULL – CONTOUR SECTION PROFILE
FIXED TO OPERABLE WINDOW SCALE 6" = 1'-0"




FIXED TO OPERABLE WINDOW
SCALE 0'-3/4"=1'-0"



COMBINATION MULLS



FIXED TO FIXED WINDOW
SCALE 0'-3/4"=1'-0"



1 FIXED TO FIXED WINDOW SECTION PROFILE ① HEAD
SCALE 6" = 1'-0"

DRAWING_NAME

TYROL CONTOUR

COMBINATION MULLS-FIXED TO
FIXED

REVISIONS:

NOTES:


- ALL ELEVATIONS REPRESENT OUTSIDE VIEW
- SECTION DETAILS SHOWING TRIPLE GLAZING OPTION. DOUBLE GLAZING ALSO AVAILABLE. REFER TO GLAZING SECTION

DATE:


XX-XX-2025

PAGE NO.


11 OF 20




1 FIXED TO OPERABLE WINDOW SECTION PROFILE ● HEAD
SCALE 6" = 1'-0"



FIXED TO OPERABLE WINDOW
SCALE 0'-3/4"=1'-0"




1OPERABLE TO OPERABLE WINDOW SECTION PROFILE
SCALE 6" = 1'-0"



OPERABLE TO OPERABLE WINDOW
SCALE 0'-3/4"=1'-0"

REVISIONS:

NOTES:
- ALL ELEVATIONS REPRESENT OUTSIDE VIEW
- SECTION DETAILS SHOWING TRIPLE GLAZING OPTION. DOUBLE GLAZING ALSO AVAILABLE. REFER TO GLAZING SECTION



NET CLEAR OPENING FOR EGRESS = WINDOW FRAME WIDTH - [(COMMON MULLION + FRAME) + COMMON MULLION FRAME]

i.e : 509 mm - [122 mm+ 69mm]

509 mm - 191 mm
NET CLEAR OPENING FOR EGRESS = 318 mm